





morsetti non forati-forati (su richiesta) **undrilled-drilled jaws (upon request)**

MANDRINO / chuck	PAG.	DENTATURA / pitch : 1/16"x90°- 3/32"x90°
SMW-AUTOBLOK	24-25	 
BERG	24-25	
FORKARDT	24-25	
ROHM	24-25	
SCHUNK	24-25	

MANDRINO / chuck	PAG.	DENTATURA / pitch : 1,5x60°
SMW-AUTOBLOK (METRICO)	26-27	 
MATSUMOTO	26-27	
HOWA	26-27	
KITAGAWA	26-27	
AUTOSTRONG	26-27	
SAMCHULLY	26-27	
SEOAM	26-27	
SCHUNK (METRICO / metric)	26-27	

morsetti non forati-forati undrilled-drilled jaws


catalogo | catalogue

MATERIALE / material : S235JR (Fe37)


DENTATURA / pitch: 1/16"x90°
3/32"x90°

MANDRINI / chucks


SMW - AUTOBLOK
BERG - FORKARDT
ROHM - SCHUNK




NON FORATI /undrilled	P	A	B	C	D	KG(NF)	G	FORATI /drilled
TBM31NF	1/16"x90°	70	40	40	17	0,8	13-19	TBM31F
TBM32NF		90	40	40	17	1,1	13-19	TBM32F
TBM33NF		105	40	40	17	1,2	13-19	TBM33F
TBM34NF		70	60	40	17	1,3	13-19	TBM34F
TBM35NF		90	60	40	17	1,6	13-19	TBM35F
TBM36NF		105	60	40	17	1,9	13-19	TBM36F
TBM361NF		120	60	40	17	2,2	13-19	TBM361F
TBM368NF		90	80	40	17	2,1	13-19	TBM368F
TBM3610NF		90	100	40	17	2,7	13-19	TBM3610F
TBM3612NF		90	120	40	17	3,2	13-19	TBM3612F
TBM37NF		70	60	60	17	1,9	13-19	TBM37F
TBM38NF		90	60	60	17	2,4	13-19	TBM38F
TBM40NF		90	60	80	17	3,3	13-19	TBM40F
TBM41NF	1/16"x90°	90	60	50	21	2,0	17-25	TBM41F
TBM42NF		105	60	50	21	2,3	17-25	TBM42F
TBM428NF		120	80	50	21	3,6	17-25	TBM428F
TBM4281NF		150	80	50	21	4,6	17-25	TBM4281F
TBM4210NF		120	100	50	21	4,5	17-25	TBM4210F
TBM4212NF		120	120	50	21	5,5	17-25	TBM4212F
TBM4215NF		120	150	50	21	6,9	17-25	TBM4215F
TBM43NF		90	60	60	21	2,4	17-25	TBM43F
TBM44NF		105	60	60	21	2,9	17-25	TBM44F
TBM45NF		90	80	60	21	3,3	17-25	TBM45F
TBM46NF		105	80	60	21	3,9	17-25	TBM46F
TBM47NF		120	80	60	21	4,4	17-25	TBM47F
TBM48NF		90	60	80	21	3,3	17-25	TBM48F
TBM498NF		120	80	80	21	5,9	17-25	TBM498F
TBM50NF	3/32"x90°	140	60	60	25,5	3,8	21-31	TBM50F
TBM51NF		140	80	60	25,5	5,1	21-31	TBM51F
TBM52NF		140	100	60	25,5	6,4	21-31	TBM52F
TBM53NF		155	100	60	25,5	7,1	21-31	TBM53F
TBM531NF		195	100	60	25,5	9,0	21-31	TBM531F
TBM5312NF		155	120	60	25,5	8,6	21-31	TBM5312F
TBM5315NF		155	150	60	25,5	11,5	21-31	TBM5315F
TBM5320NF		155	200	60	25,5	13,8	21-31	TBM5320F
TBM57NF		170	80	80	25,5	7,6	21-31	TBM57F
TBM58NF		155	100	100	25,5	11,8	21-31	TBM58F
TBM59NF		155	90	60	25,5	6,0	21-31	TBM59F




Pag. 54




Pag. 68




Pag. 76



Pag.122




Pag.146



Pag.164

morsetti non forati-forati undrilled-drilled jaws

catalogo | catalogue



FORATI A RICHIESTA / Drilled upon request

IMPORTANTE :
PER I MORSETTI RICHIESTI FORATI
INDICARE ALL'ORDINE LE QUOTE :
E - F

Important :
for drilled jaws please indicate "E-F"
dimensions upon order

AUTOBLOK-SMW	BERG	FORKARDT	SCHUNK	ROHM
HFK160;HFKS160;KDV160 KDVG160;KFMF160;KfV160 HFK200;HFKS200;HfKN-D200 KDV200;KDVG200;KFMF200 KfV200;SP200;STP200;STWP200 CD200;HDL200;HDN200;IDL200 IDN200;ALD210;AND210 BBD210;BHD210;BHD-FC210 GHD-FC210;GHDN210;HBD210 PBD210;HDB220;HDN220 IDN220;KDV250;KDVG250 HDN250S;IDN250S	HES160 HESF160 KF160 HES200 HESF200 KF200 KHFF200	KGH160;KGHF160;KL160;KS160 KSH160;KSPS160;KTG160;KTH160-46 KTN160;NH160;NHF160;UVE160 KGH175;KGHF175;KSF175;KTH175-46 QLC175;KG200;KGH200;KGHF200 KS200;KSF200;KT200;KTGF200 KTH200;NH200;NHF200;QLC210 UVE200;KL250MO;KS250;KS250MO KSHF250-55;KSHF250-65;NHF250-65 NHF250-104;UVE250;NHF290	ROTA NC-O 160 HSL165 TH165 THF165 HSG200 ROTA NC-D 200 ROTA NC-O 200 TP200 HSL210 TH210 THF210 HSG250	KFD160;KFD-HE160 KFD-HF160;KFH160 KFH-F160;SPD160 KFH-G160;SPO160 KFH-NC160;LVE160 KFD-200;KFD-HE210 KFD-HF200;KFH200 KFH-F200;LVE200 KFH-G200;SPD215 KFH-NC200;SPO215 KFL250
HFK250-315;HFKS250-315 HfKN-D250-315;KFMF250-315 KfV250-315;ALD250-315 AND250-315;BBD250-315 BHD250-315;BHD-FC250-315 CD250-315;GHD-FC250-315 GHDN250-315;HBD250-315 HDL250-315;HDN250-315 IDL250-315;IDN250-315 PBD250-315;GHD-FC305-400 HDB300;GHDN400;HDL400 HDN400;IDL400;IDN400 KDV400;KDVG400	HES250 HESF250 KF250 KHFF250 HES315 HESF315 KF315 KHFF315	2BLE200;2BLN200;2BLE250MO;KG250 KL250;KLNC250;KP250;KSH250 KSHF250;KSPS250;KT250;KTGF250 KTN250;NH250;NHF250;QLC250 NHF257;NHF290-104;KSPS300;KG315 KLNC315;KP315;KS315;KSH315 KSHF315;KT315;KTGF315;NH315 NHF315;UVE315;QLC315;KS400 KSH400;KSHF400;NHF400	HSL250 ROTA NC-D 250 ROTA NC-O 250 TH250 THF250 TP250 HSG315 HSL315 ROTA NC-D 315 ROTA NC-O 315 TH315 THF315 TP315	KFD250;KFD-HF250 KFH250;KFH-F250 KFH-G250;LVE250 KFN-NC250;SPD300 KFD-HE254;SPO300 KFD-HE315;LVE305 KFD315;KFD-HS315 KFD-HF315;KFH315 KFH-F315;KFL315 KFH-G315;LVE315 KFH-NC315;KFL400
HFK400-500;HFKS400-500 KfV400;KDV500;KDVG500 KfV500-630-800;LP380 bb400;bb400-ES;STP400 LP460	HES400 KF400 KHFF400 HES500 KF500 HES630 KF630	KG400;KL400;KLNC400;KP400;KT400 KTGF400;NH400;NHF400;UVE400 QLC400;KG500;KL500;KLNC500 KP500;KT500;KTGF500;NH500 NHF500;UVE500;KS630;KSL630 KSHF630;KT630;KTGF630;NH630 NHF630;UVE630;UVE800	HSG400 HSL400 ROTA NC-D 400 ROTA NC-O 400 TH400 THF400 HSG500 TH500 THF500	KFD400-500-630-800 LVE400-500-630-800 KFD-HE400 KFD-HF400-500 KFD-HS400-500 KFH400-500 KFH-F400-500 KFH-G400-500 KFH-NC400-500 KFL600

morsetti non forati-forati undrilled-drilled jaws


catalogo | catalogue

MATERIALE / material : S235JR (Fe37)


DENTATURA / pitch: 1,5x60°

MANDRINI / chucks


SMW - AUTOBLOK
HOWA - KITAGAWA
MATSUMOTO - SCHUNK
AUTOSTRONG-SAMCHULLY-SEOAM




NON FORATI /undrilled	P	A	B	C	D	KG(NF)	G	FORATI /drilled	
TJBM50NF	1.5x60°	55	50	25	10	0,4	9-14	TJBM50F	
TJBM70NF	1.5x60°	75	60	35	12	1,2	11-18	TJBM70F	
TJBM81NF	1.5x60°	70	40	40	14	0,9	13-19	TJBM81F	
TJBM82NF		95	40	40	14	1,2	13-19	TJBM82F	
TJBM83NF		70	60	40	14	1,3	13-19	TJBM83F	
TJBM84NF		95	60	40	14	1,8	13-19	TJBM84F	
TJBM80NF		95	80	40	14	2,4	13-19	TJBM80F	
TJBM85NF		95	100	40	14	3	13-19	TJBM85F	
TJBM86NF		70	60	60	14	2	13-19	TJBM86F	
TJBM87NF		70	60	80	14	2,6	13-19	TJBM87F	
TJBM108NF	1.5x60°	110	40	40	16	1,6	13-19	TJBM108F	
TJBM101NF		90	60	40	16	1,7	13-19	TJBM101F	
TJBM102NF		110	60	40	16	2,1	13-19	TJBM102F	
TJBM100NF		110	80	40	16	3	13-19	TJBM100F	
TJBM103NF		110	100	40	16	3,5	13-19	TJBM103F	
TJBM104NF		110	120	40	16	5,2	13-19	TJBM104F	
TJBM105NF		95	60	60	16	2,7	13-19	TJBM105F	
TJBM106NF	1.5x60°	95	90	60	16	4	13-19	TJBM106F	
TJBM107NF		95	60	80	16	3,6	13-19	TJBM107F	
TJBM119NF		130	50	50	21	2,6	17-25	TJBM119F	
TJBM120NF		130	60	50	21	3,1	17-25	TJBM120F	
TJBM121NF		130	80	50	21	4,1	17-25	TJBM121F	
TJBM122NF		130	120	50	21	6,1	17-25	TJBM122F	
TJBM123NF		130	150	60	21	9,2	17-25	TJBM123F	
TJBM124NF	1.5x60°	130	80	80	21	6,4	17-25	TJBM124F	
TJBM126NF		130	100	50	21	4,7	17-25	TJBM126F	




Pag. 54




Pag. 68




Pag. 76



Pag. 122




Pag. 146



Pag. 164

morsetti non forati-forati undrilled-drilled jaws

catalogo | catalogue



FORATI A RICHIESTA / Drilled upon request

IMPORTANTE :
PER I MORSETTI RICHIEST **FORATI**
INDICARE ALL'ORDINE LE QUOTE :
E - F

Important :
for **drilled** jaws please indicate "E-F"
dimensions upon order

AUTOBLOK-SMW	HOWA	SAMCHULLY	KITAGAWA	MATSUMOTO	SCHUNK
	HO1MA4 HO24M5	Ø 110	HJ-4;AS110 N4;B205;B204	H-4-21	
BBM-175;ALM165 ANM165;BHM165 BHM-FC165;HBM165 PBM165	HO1MA6;HO7MA6 HO15M6;HO22M6 HO24M6;HO27M6 HO37M6;HO47M6	Ø 165	HJA5-6;HOS6;HOH106 AS165;B7;B106;B160 B06;HOH160;HOH06 N160;N06;HOB6 B206;HOH206		ROTA NCK165
BBM210;ALM210 ANM210;BHM210 BHM-FC210;HBM210 PBM210	HO7MA8;HO15M8 HO23M8	Ø 210	B200;B8;N200 N8;AS210;B108 HOH108;HOS8;B208 HOH208;HO8;HOB8 HJA6-8;HOH200;HOH8	HA6-8;HX8 H8;HH8 HJ8;HHJ8 ZA6-8-66 STC8 ZA6-8-52	ROTA NCK210
BBM250;ALM250 ANM250;BHM250 BHM-FC250;HBM250 PBM250	HO27M8;HO22M8 HO47M8;HO37M8 HO24M8;HO7MA10 HO15M10;HO23M10	Ø 254-270	B250;B10;HOH250 HOH210;HOH10;HOH110 B210;HOB10;AS250 N250;N10;HJA6-10 HJA8-10;HOS10 HO10;B110	HA6-10;HA8-10 ZA6-10-72B HX10;H10 HH10;HHL10 HJ10;HHJ10 STC10;HA8-11	ROTA NCK250
BBM315;ALM315 ANM315;BHM315 BHM-FC315;HBM315 PBM315	HO27M12;HO47M12 HO37M12	Ø 304	B212		ROTA NCK315